
ALUP ALUMINIUM GANTRY CRANES




Models of Crane Foldable


Model Mini
Item no.: 111000



Model Standard
Item no.: 112000



Model Maxi
Item no.: 113000




TUOTETEKNO OY
NOSTO- JA SIIRTOLAITTEET


Crane Moveable under Load

Model Mini - Standard - Maxi


Model Mini
Item no.: 121000




Model Standard
Item no.: 122000



Model Maxi
Item no.: 123000







PRODUCT DESCRIPTION

Feltes aluminium gantry cranes are light, portable and safe lifting devices suited to many lifting and handling tasks. Their innovative folding design allows quick set-up and easy transport, making them ideal for site conditions and temporary locations.

AluP STATIC gantry cranes:

Capacity: up to 1500 kg

Sizes:

- Mini: width 1200 mm, height 1180–2100 mm
- Standard: width 1710 mm, height 1680–3000 mm
- Maxi: width 2290 mm, height 2230–4000 mm
- Beam lengths: 2230 mm – 5230 mm

Features:

Quick and easy set-up, ready on site in under five minutes

Suitable for moving and lifting heavy loads, engines and equipment

Can be set up on two levels at different heights

AluP MOVEABLE gantry cranes:

Capacity: up to 1000 kg

Sizes:

- Mini: width 1250 mm, height 1500–2000 mm
- Standard: width 1700 mm, height 2000–3000 mm
- Maxi: width 2000 mm, height 2250–3500 mm
- Beam lengths: 2230 mm – 5230 mm

Features:

Easy to move even when loaded

Suitable for site and workstation use where the gantry must be moved under load

Can be set up on two levels at different heights

AluP portal gantries:

Use: suits sites where the load must be moved past the support point or lifted out of a shaft or opening

Sizes:

- Mini: width 1260/1860 mm, height 1500–2100 mm
- Standard: width 1260/1860 mm, height 2000–3000 mm
- Maxi: width 1260/1860 mm, height 2600–4000 mm
- Beam lengths: 2230 mm – 5230 mm

Options:

Coupling kit for two aluminium gantries: doubles the capacity compared with a single gantry (3000 kg). Includes coupling pieces and a four-wheel trolley.

Castor kit for the folding model: allows the gantry to be moved when unloaded. The castors are spring-loaded, so the gantry settles onto the ground when loaded.

Transport trolley for the aluminium gantry: makes it easier to move the whole gantry to and from the site, keeping the parts in order and ready for use.

Wall bracket for the aluminium gantry: converts the gantry into a workstation semi-gantry with one extra part.

Feltes aluminium gantry cranes offer versatile, efficient solutions for different lifting needs, ensuring safety and ease of use in every working environment.

Interested? Contact us

Message:

Name (required)

Email (required)

Phone (required)

Company

Recaptcha

Lähetä yhteydenottopyyntö