GIS CONTROL CASES – 2 OR 4 CHANNELS (DIRECT OR LOW-VOLTAGE CONTROL)



GIS control cases are durable, water-protected carry cases for controlling two or four hoists. They are easy to use, safe and light (under 10 kg). The cases are delivered ready for use and are made in Switzerland.



PRODUCT DESCRIPTION

Features

- Ready to use: Delivered ready for use.
- Durability: Water-protected construction allows use even in demanding conditions.

- Portability: Light (under 10 kg), easy to carry.
- Country of manufacture: Switzerland.

Technical data

- Control channels: 2 or 4 channels.
- Control types:
- Direct control (DC): For direct control of hoists.
- Low-voltage control (LV): For control of low-voltage hoists.
- Supply voltage: 380–415 V / 3-phase / 47–63 Hz.
- Supply connection: CEE Plug 32 A – 3P+N+E.

Models

- 2-channel direct control (DC): For direct control of two hoists.
- 4-channel direct control (DC): For direct control of four hoists.
- 2-channel low-voltage control (LV): For low-voltage control of two hoists.
- 4-channel low-voltage control (LV): For low-voltage control of four hoists.

Applications

- Concert and event productions.
- Theatres and opera houses.
- Trade fairs and exhibitions.
- TV and film productions.

- Any situation where loads are lifted or held above people.

Interested? Contact us

Message:

Name (required)

Email (required)

Phone (required)

Company

Recaptcha

Lähetä yhteydenottopyyntö