

IGA CABLE SYSTEMS



IGA cable systems are high-quality power supply solutions from a Spanish manufacturer, suitable for many kinds of industrial applications. Both galvanised and stainless C-rails are available, and the systems can also be adapted for compressed air supply. With more than 60

years of experience, IGA offers reliable, long-lasting solutions for demanding conditions. Tuotetekno Oy supplies these systems in Finland, offering expert service and support.





No	Osa	Määrä	Kerätty
v1	Kannatuskiskon kiinnike		
v2	Poikkiorsi		
v3	Kannatinkappale		
v4	Vedonpoistovaunu		
v5	Kaapelivaunu		
v6	Mukaanottovaunu		
v7	Mukaanottorauta		
v8	Päätystoppari		
v9	Liitoskappale		
v10	C-kisko		
v11	Turvakytkin		
v12	Lattakaapeliholkki		
v13	Pyörökaapeliholkki		
v14	Turvakytkimenkyltti		
v15	Pyörökaapeli		
v16	Suojaputki		
v17	Putken kiinnike		
v18	Jakorasia		
v21	Lattakaapeli		


HOIST
MAIN SWITCH
Open and check before
service or repair.



PRODUCT DESCRIPTION

IGA cable systems are high-quality products from a Spanish manufacturer, offering versatile power supply solutions for different purposes. The range includes both galvanised and stainless steel C-rails, which are also suitable for compressed air supply. The systems are made by Industrias Galarza, which has more than 60 years of experience in the field.

The product range includes:

- **2300 INOX**: Stainless steel trolley with a maximum load of 20 kg and maximum cable dimensions of 58 x 20 mm.
- **2331 INOX**: Also a stainless steel trolley, with the same features as the 2300 INOX model.
- **2500 INOX**: Stainless steel trolley with a maximum load of 40 kg and maximum cable dimensions of 90 x 30 mm.
- **2300**: Galvanised steel trolley with a maximum load of 20 kg and maximum cable dimensions of 58 x 20 mm.
- **2331**: Galvanised steel trolley with the same features as the 2300 model.
- **2349**: Galvanised steel trolley with a maximum load of 20 kg and maximum cable dimensions of 58 x 20 mm.
- **2500**: Galvanised steel trolley with a maximum load of 40 kg and maximum cable dimensions of 90 x 30 mm.
- **2310**: Aluminium trolley with a maximum load of 30 kg and maximum cable dimensions of 90 x 30 mm.


These cable trolleys are designed to support, guide and protect both flat and round electrical cables used in overhead cranes, forklifts, water treatment systems and machine automation, among others.

Benefits

- Cost-effective solution
- Easy to service and replace spare parts
- Suitable for indoor and outdoor use
- Safe, CE-certified solution in line with European standards

- Tuotetekno Oy is the reseller of these products in Finland.


Product series and brochures:




[CATALOGUE2300]



[CATALOGUE2331]




[CATALOGUE2310]



[CATALOGUE2349]


[Industrias galarza .com]



[CATALOGUE2500]



[CATALOGUE2307]





[ATEXPROFILE]

Interested? Contact us

Message:

Name (required)

Email (required)

Phone (required)

Company

Recaptcha

Lähetä yhteydenottopyyntö