

MOTORISED PILLAR JIB CRANES AND WALL JIB CRANES







PRODUCT DESCRIPTION

Under-braced motorised pillar jib cranes and under-braced motorised wall jib cranes (PKAM, SKAM)

Lifting capacity from 125 kg, special solutions up to 10,000 kg

Applications

Under-braced pillar jib cranes are well suited to industrial and production facilities that need an efficient and flexible lifting solution. They allow loads to be moved over a wide area and offer options for both manual and motorised operation.

Technical features


- Lifting capacity: 125–2000 kg in standard solutions; up to 20,000 kg in special solutions
- Boom: steel I-beam
- Slewing angle: 360° as standard, wall jib 180°
- Boom slewing: motorised, for either indoor or outdoor use
- Hoist trolley travel: motorised
- Power supply: flat cable festoon on a separate C-rail; can be fitted with a pendant control on its own rail
- Mounting: floor

Structure and installation

- Column: robust steel structure that ensures the crane's stability and durability
- Installation: floor mounting
- Finish: durable paint, for example two-component epoxy
- Wall jib installed with a wall bracket or a clamp to an existing column

Accessories

- Slewing angle limiters: allow the slewing angle to be adjusted as needed
- Radio control



Interested? Contact us

Message:

Name (required)

Email (required)

Phone (required)

Company

Recaptcha

Lähetä yhteydenottopyyntö