


ERSATZTEILE | STROMLAUFPLÄNE GP 1600/2500


Spare parts | Pièces de rechange | Onderdelen | Reservedele | Varaosat | Pezzi di ricambio
Reservedelen | Peças | Reservdelar | Piezas de recambio | Запасные части

Circuit diagrams | Schéma de connexions | Stroomschema | Kredslobsdiagrammer
Kytkentäkaavio | Aansluitschema | Schema elettrico | Koplingskjema | Esquema electrico
Elschema | Esquema eléctrico | Принципиальные электрические схемы





9520.9220.5



9520.9221.5

		GP 1600	GP 2500
100	M16 x 90/44	9030.0341	
	M16 x 110/44		9030.0352
101	ø20/2 x 77	9520.3077.4	
	ø20/2 x 87		9521.3034.4
102*	166 x 210	9408.3070.3	9521.3039.4
103	M16	9031.1281	9031.1281
104*	186 x 169.9 x 20	9408.3019.3	
	203.9 x 166.7 x 20		9521.3028.3
105*	209.9 x 140 x 15	9408.3020.3	
	209.1 x 140 x 20		9521.3027.3
106	2t, L=170	9520.3027.3	9520.3027.3
	1t, L=120	9520.3028.3	9520.3028.3
107	ø156 / ø149 x 2.5	9515.3054.4	9515.3054.4
108	2p, 3 x 230/400V 50Hz		9527.0250.3
	2p, 3 x 460V 60Hz, CSA		9527.0250.3
	2/8p, 3 x 230V 50Hz	9527.0351.3	9527.0351.3
	2/8p, 3 x 400V 50Hz	9527.0350.3	9527.0350.3
	2/8p, 3 x 460V 60Hz, CSA	9527.0350.3	9527.0350.3
	4p, 3 x 230/400V 50Hz	9527.0150.3	9527.0150.3
	4p, 3 x 460V 60Hz, CSA	9527.0150.3	9527.0150.3
109	ø166 / ø14 x 43	9515.3075.3	9515.3075.3
110	245.5 x 354.5 x 161	9520.3011.2	9520.3011.2
111	M6 x 60/24 N	9030.0339	9030.0339
112*	214.5 x 246 x 6	9520.3033.3	9520.3033.3
113	1.6A UL	9052.0012	9052.0012
114	M4 x 8	9030.0325	9030.0325
115	4.3/8 x 0.8	9031.3706	9031.3706
116	2t+NA, 42V	9517.1100.2	9517.1100.2
	1t+NA, 42V	9517.1000.2	9517.1000.2
117	M25 x 1.5	9055.3517	9055.3517
118	M25 x 1.5	9055.3103	9055.3103
119	M25	9055.4013	9055.4013
120	ø29.5 / ø23.2 x 1	9040.2511	9040.2511
121	M20 x 1.5	9055.3512	9055.3512
122	M25 x 1.5	9055.3513	9055.3513
123	226.7 x 243.8 x 137.5	9520.3006.2	9520.3006.2
124	ø59 x 2.5 NBR 70	9035.0034	9035.0034
125	M6 x 16	9030.0322	9030.0322
126	M4 x 12	9030.0252	9030.0252
127	PMG 580-S	9050.4124	9050.4124
128	M4	9031.3228	9031.3228
129	M4	0031.0035	0031.0035
130	1t, 2t, 580V	9527.1200.3	9527.1200.3
131	400/42V	9056.4701.4	9056.4701.4
	230/42V 50/60Hz, 460/42V 50/60Hz	9056.4741.4	9056.4741.4
132	M5 x 10	9030.0027	9030.0027
133	103 x 84 x 41	9500.3069.3	9500.3069.3
134	M5 x 25	9030.0022	9030.0022
135*	350 x 239.5 x 7.5	9520.3034.3	9520.3034.3
136	M6 x 60/24 N	9030.0339	9030.0339
137	348 x 237.5 x 285	9520.3005.3	9520.3005.3
138	M6 x 60/24	9030.0282	9030.0282
139	22.5Nm, 200-240VAC 50/60Hz	9050.4117	9050.4117
	22.5Nm, 360-420VAC 50/60Hz	9050.4118	9050.4118
	22.5Nm, 440-480VAC 50/60Hz	9050.4119	9050.4119
	22.5Nm, 500-575VAC 50/60Hz	9050.4120	9050.4120
140*	ø128 x 11.8	9405.3286.4	9405.3286.4
141	M8 x 40	9030.2018	9030.2018
142	M8	0031.0008	0031.0008
143	ø8.4 / ø16 x 1.6	0031.0578	0031.0578
144	300.6 x 219.1 x 305.8 N	9520.3020.2	9520.3020.2
	300.6 x 219.1 x 305.8 S	9520.3022.2	9520.3022.2
	300.6 x 219.1 x 305.8 B		9520.3023.2
145	ø8 x 65	9031.5862	9031.5862
146*	ø76 x 28	9520.3062.3	9520.3062.3
147*	ø75 / ø51 x 5	9520.3061.4	9520.3061.4
148*	ø75 x 29	9520.3063.3	9520.3063.3
149	M8	9031.3904	9031.3904
150	M8 x 30	9030.0288	9030.0288
151*	166 x 191 x 38.5	9520.3055.4	9521.3055.4
152*	ø112 x 57	9520.3030.1	9521.3030.1
153	A 42 x 1.75	9031.2015	9031.2015
154	M8	9031.3904	9031.3904
155	M8 x 25	9030.0287	9030.0287
156	M6 x 20	0030.9230	0030.9230
157	10.5 / ø6.5 x 3	9040.2508	9040.2508
158	308 x 370 x 80	9520.3000.2	9521.3000.2
159*	176 x 75 x 97.5	9520.3008.2	9521.3008.2
160*	9.4 x 27.4	9039.0031	
	11.75 x 32.9		9039.0032
161	0.1 l	9041.0007	9041.0007
162	308 x 31 x 5 (9.4)	9041.6037	
	367 x 41 x 5 (11.75)		9041.6038
163	M8 x 65/28 T	9030.0345	9030.0345

[illegible]

